



Safety Data Sheet

Dynatex® 49558 Anti-Seize & Lubricating Compound

Section 1. Identification

Product Identifier Dynatex® 49558 Anti-Seize & Lubricating Compound

Synonyms 49558GY10

Manufacturer Stock Numbers 49558GY10

Recommended use Refer to Technical Information

Uses advised against Refer to Technical Information

Manufacturer Contact

Address Dynatex a division of Soudal Accumetric
350 Ring Road
Elizabethtown, KY, 42701
USA

Phone
(270) 769-3385

Emergency Phone
(800) 424-9300
CHEMTREC

Fax
(270) 769-6418

Section 2. Hazards Identification

Classification N/A

Signal Word

Pictogram

Hazard Statements N/A

Precautionary Statements

Response N/A

Prevention N/A

Storage N/A

Disposal N/A

Ingredients of unknown toxicity 0%

Hazards not Otherwise Classified

OSHA/HCS status While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Section 3. Ingredients

CAS	Ingredient Name	Weight %
7429-90-5	Aluminum powder	1% - 3%

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

Eye Contact Immediately flush eyes with water for at least 15 minutes. Get medical attention if irritation develops.

Skin Contact Wash affected area thoroughly with soap and water. Remove contaminated clothing and launder before re-use. Get medical attention if irritation develops.

Inhalation Remove to fresh air. If symptoms persist, obtain appropriate medical attention.

Ingestion Do not induce vomiting. Keep warm. Get medical attention.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media Carbon Dioxide, Dry Chemical, Foam
Use water fog to cool material in vicinity of fire.

Unsuitable Extinguishing Media None known

Special Fire Fighting Procedures Fight like a fuel oil fire. Cool fire exposed containers with water spray. Use water to keep fire exposed containers cool to prevent pressure build-up. Fire fighter should wear OSHA/NIOSH approved self-contained breathing apparatus.

Unusual Fire or Explosion Hazards None known

Hazardous Decomposition Products Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products:
Carbon Dioxide
Carbon Monoxide
Trace metal oxides

Section 6. Accidental Release Measures

Steps to be taken in case of spill or release

Stop flow, scrape, wipe, mop up or absorb with diatomaceous earth or other inert material. Disposal should be in accordance with local, state, and federal regulations.

Section 7. Handling and Storage

Storage

Avoid storage near open flame or other sources of ignition.

Handling

Spills may cause slippery floors. Proper footwear required. Remove contaminated clothing and launder before reuse. Wash hands with soap and water before eating, drinking or smoking. Discard contaminated leather gloves and shoes.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

Ingredient Name

ACGIH TLV

OSHA PEL

STEL

Aluminum powder

10 mg/m³ (dust)

Not Est.

N/A

Personal Protective Equipment

Goggles, Gloves

Eye Protection

Safety goggles or glasses with side shields are recommended.

Skin Protection

Use neoprene or nitrile rubber gloves to prevent skin contact.

Respiratory protection

No respiratory protection should be needed with good local ventilation.

Other Protective Equipment

Use chemical-resistant apron or other impervious clothing, if needed, to avoid contaminating regular clothing, which could result in prolonged or repeated skin exposure.

Hygiene Measures

Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.

Section 9. Physical and Chemical Properties

Physical State	Soft solid
Color	Aluminum
Odor	Petroleum
Odor Threshold	Not available
Solubility	Insoluble in water
Partition coefficient Water/n-octanol	Not available
VOC%	N/A
Viscosity	Not available
Specific Gravity	1.1
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	221.11C 420F

Waste Disposal Method

We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	Not regulated
DOT Classification	Not regulated
Packing Group	Not regulated
Air Shipment (IATA)	Not subject to IATA regulations.
Ocean Shipment (IMDG)	Not subject to IMDG code.

Section 15. Regulatory Information

This product does not dry or produce dust under normal use. Since the product is in paste/grease form, the risk of exposure to dust is minimal or non-existent and the related hazard statements are therefore not shown in this SDS even if some hazardous ingredients are listed in this Section for other regulatory requirements.

U.S. Federal regulations TSCA 8(a) CDR Exempt/Partial exemption:
Not determined

United States inventory (TSCA 8b):
All components are listed or exempted.

TSCA 12(b) one-time export:
None of the components are listed.

TSCA 12(b) annual export notification:
None of the components are listed.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)
Not listed

Clean Air Act Section 602 Class I Substances
Not listed

Clean Air Act Section 602 Class II Substances
Not listed

DEA List I Chemicals (Precursor Chemicals)
Not listed

DEA List II Chemicals (Essential Chemicals)

Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ: Not applicable.

SARA 311/312

Classification: Not applicable.

Crystalline silica, respirable powder

CARCINOGENICITY - Category 1A

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (respiratory tract) (inhalation) - Category 1

SARA 313

Form R - Reporting requirements

Aluminium powder (stabilized)

7429-90-5

Supplier notification

Aluminium powder (stabilized)

7429-90-5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Massachusetts

The following components are listed: Distillates (petroleum), solvent-refined heavy naphthenic; Distillates (petroleum), hydrotreated light naphthenic; Limestone; Hydrous magnesium silicate; Aluminium powder (stabilized); Natural Graphite

New York

None of the components are listed.

New Jersey

The following components are listed: Distillates (petroleum), solvent-refined heavy naphthenic; Distillates (petroleum), hydrotreated light naphthenic; Limestone; Crystalline silica, respirable powder; Hydrous magnesium silicate; Aluminium powder (stabilized); Natural Graphite; Crystalline silica, amorphous

Pennsylvania

The following components are listed: Limestone; Crystalline silica, respirable powder; Hydrous magnesium silicate; Aluminium powder (stabilized); Natural Graphite; Crystalline silica, amorphous

WARNING: This product can expose you to Crystalline silica, respirable powder, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SARA

State regulations

California Prop 65

Section 16. Other Information

Revision Date

7/30/2018

Disclaimer

The data contained herein is based upon information that Soudal Accumetric believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.