



# Safety Data Sheet

## BOSS® 470 Silicone General Purpose Compound

### Section 1. Identification

Product Identifier	BOSS® 470 Silicone General Purpose Compound		
Synonyms	47053		
Manufacturer Stock Numbers	02620CL10; C19030CL		
Recommended use	Refer to Technical Information		
Uses advised against	Refer to Technical Information		
Manufacturer Contact			
Address	Soudal Accumetric 350 Ring Road Elizabethtown, KY, 42701 USA		
	Phone	Emergency Phone	Fax
	(270) 769-3385	(800) 424-9300 CHEMTREC	(270) 765-2412

### Section 2. Hazards Identification

Classification	N/A
Signal Word	
Pictogram	
Hazard Statements	N/A
Precautionary Statements	
Response	N/A
Prevention	N/A
Storage	N/A
Disposal	N/A

Ingredients of unknown toxicity 0%

Hazards not Otherwise Classified

GHS Classification Not a hazardous substance or mixture.

GHS Label Element Not a hazardous substance or mixture.

Other hazards None known

### Section 3. Ingredients

CAS	Ingredient Name	Weight %
102-24-9	Trimethoxyboroxin	0.5% - Max
52624-57-4	Oxirane, methyl-, polymer	0.5% - Max
112945-52-5	Amorphous fumed silica	2% - 20%
68611-44-9	Hydrophobic silica	2% - 20%
63148-62-9	Dimethylpolysiloxane	60% - 90%

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-Aid Measures

Ingestion DO NOT INDUCE VOMITING. Seek immediate medical attention.

Inhalation Not known to cause inhalation problems.

Skin Contact Wash affected area thoroughly with soap and water. Remove contaminated clothing and launder before re-use. Get medical attention if irritation develops.

Eye Contact Immediately flush eyes with water for at least 15 minutes. Get medical attention if irritation develops.

### Section 5. Fire Fighting Measures

Suitable Extinguishing Media Use carbon dioxide or dry chemical on small fires. Use foam and/or water spray for large fires.

Unsuitable Extinguishing Media None known

Unusual Fire or Explosion Hazards None known

Special Fire Fighting Procedures Fire fighters should wear full protective clothing including self contained breathing apparatus.

Auto-ignition Temperature Not determined

### Section 6. Accidental Release Measures

Steps to be taken in case of spill or release Observe all personal protection equipment. Use absorbent material to collect and contain material for disposal.

Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this MSDS provide information regarding certain federal and state requirements.

## Section 7. Handling and Storage

Handling	Keep container closed when not in use. Avoid prolonged skin contact. Keep away from eyes. Use recommended personal protective equipment.
Storage	Store below 100F.

## Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Trimethoxyboroxin	10 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	N/A
	Oxirane, methyl-, polymer	N/A	N/A	N/A
	Amorphous fumed silica	10 mg/m <sup>3</sup>	6 mg/m <sup>3</sup>	N/A
	Hydrophobic silica	N/A	N/A	N/A
	Dimethylpolysiloxane	N/A	N/A	N/A
Personal Protective Equipment	Goggles, Gloves			
Ventilation	Good general ventilation should be sufficient.			
Eye Protection	Use proper protection - safety glasses as a minimum.			
Skin Protection	Chemical resistant rubber (e.g. neoprene, butyl rubber, nitrile) gloves and other protective gear as needed to prevent skin contact.			
Precautionary Measures	Avoid eye and skin contact. Keep container closed when not in use. Do not take internally.			
Note	These precautions are for room temperature handling. Use at elevated temperatures or aerosol/spray applications may require added precautions.			

## Section 9. Physical and Chemical Properties

Physical State	Paste
Color	Translucent
Odor	Slight, sweet
Odor Threshold	N/A
Solubility	Insoluble
Partition coefficient Water/n-octanol	N/A
VOC%	10 g/L
Viscosity	1,000,000 cPs
Specific Gravity	1.03
Density lbs/Gal	8.55



## Section 13. Disposal

**Waste Disposal Method** We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

## Section 14. Transport Information

**UN Number** N/A  
**UN Proper Shipping Name** Unrestricted  
**DOT Classification** Non-hazardous, unrestricted  
**Packing Group** N/A

## Section 15. Regulatory Information

**TSCA Status** The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.  
All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

**SARA Title III Section 302 Extremely Hazardous Substances** None

**SARA Title III Section 304 CERCLA Substances dangereuses** None

**SARA Title III Section 311/312** No components subject to 40 CFR 370

**SARA Title III Section 313 Toxic Chemicals** None present or none present in regulated quantities.

**California Proposition 65** This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm:  
None known

**Massachusetts** Silica, amorphous fumed (112945-52-5)  
**New Jersey** Silica, amorphous fumed (112945-52-5)  
**Pennsylvania** Silica, amorphous fumed (112945-52-5)

## Section 16. Other Information

**Revision Date** 11/10/2015

**Disclaimer** The data contained herein is based upon information that Soudal Accumetric believes to be reliable. Users of this product have the responsibility to

determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.